

L Number	Hits	Search Text	DB	Time stamp
1	2507	(717/108,115-118,136-167,174-178).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/01/16 13:15

L Number	Hits	Search Text	DB	Time stamp
-	6	((cap adj2 file\$1) and (smart adj2 card))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/14 10:21 ✓
-	5	(Java same (cap adj2 file\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/14 09:11 ✓
-	14072	(subscrib\$4 or Java or smart) adj3 (card\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/14 10:23
-	54	(class near3 loader\$4) and ((Java adj class) near3 file\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/14 10:26 ✓
-	141	("16-bit" or "8-bit") near3 (instruction\$1 adj2 (set or architecture))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/14 10:38
-	5	(Java and (cap adj file\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/14 10:56 ✓
-	760	"16-bit" adj3 (processor or architecture)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/14 10:56
-	2490	(smart adj card\$1) near2 (computer\$1 or architecture\$1 or processor\$1 or device\$1 or program\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/14 11:05
-	15	("16-bit" adj3 (processor or architecture)) and (smart adj2 card\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/14 11:03 ✓
-	17332736	@ad<=19990202 or @rlfd<=19990202	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/15 08:43
-	7785	((subscrib\$4 or Java or smart) adj3 (card\$1)) and (@ad<=19990202 or @rlfd<=19990202)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/14 11:05
-	7836	((subscrib\$4 or Java or smart) adj3 (card\$1)) and (@ad<=19990202 or @rlfd<=19990202)) or ((class near3 loader\$4) and ((Java adj class) near3 file\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/14 11:05
-	1276	((subscrib\$4 or Java or smart) adj3 (card\$1)) and (@ad<=19990202 or @rlfd<=19990202)) or ((class near3 loader\$4) and ((Java adj class) near3 file\$1)) and ((smart adj card\$1) near2 (computer\$1 or architecture\$1 or processor\$1 or device\$1 or program\$5))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/14 11:06

-	961	(type or pointer) adj2 safe	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/14 11:09	
-	1572	(object adj oriented) and ((class or interface or array) adj2 type)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/14 11:12	
-	44	((type or pointer) adj2 safe) and ((object adj oriented) and ((class or interface or array) adj2 type))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/14 11:13	✓
-	4	((Java adj class) adj2 file\$1) and (((((subscrib\$4 or Java or smart) adj3 (card\$1)) and (@ad<=19990202 or @rlfd<=19990202)) or ((class near3 loader\$4) and ((Java adj class) near3 file\$1))) and ((smart adj card\$1) near2 (computer\$1 or architecture\$1 or processor\$1 or device\$1 or program\$5)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/14 11:15	✓
-	6	Garney.in. and (smart adj card)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/14 12:03	✓
-	12	Baentsch.in. and (smart adj card)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/14 12:06	
-	8	(Baentsch.in. and (smart adj card)) and (smart adj card).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/14 13:24	✓
-	13	((convert\$4 adj2 applet) or CAP) adj2 file\$1) and class\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/14 13:30	✓
-	3	((convert\$4 adj2 applet) or ".CAP" or ".cap") adj2 file\$1) and class\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/14 13:33	✓
-	6	Schwabe.in. and (virtual adj machine)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/14 13:33	✓
-	2	(Schwabe.in. and (virtual adj machine)) and (@ad<=19990202 or @rlfd<=19990202)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/14 13:40	✓
-	2	6092147.URPN.	USPAT	2003/01/14 13:35	✓
-	4	(chen.in. and (code near8 validation)) and @pn<>" "	USPAT	2003/01/14 13:40	✓
-	2	((chen.in. and (code near8 validation)) and @pn<>" ") and (@ad<=19990202 or @rlfd<=19990202)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/14 13:57	✓
-	23	5996076.URPN.	USPAT	2003/01/14 13:44	✓

-	48	((constant adj pool) near3 (indic\$3 or index)) and (Java or (class\$3 near5 load\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/14 13:57	✓
-	35	((((constant adj pool) near3 (indic\$3 or index)) and (Java or (class\$3 near5 load\$4))) and (@ad<=19990202 or @rlfd<=19990202)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/14 14:03	✓
-	1	(((((constant adj pool) near3 (indic\$3 or index)) and (Java or (class\$3 near5 load\$4))) and (@ad<=19990202 or @rlfd<=19990202)) and (((convert\$4 adj2 applet) or CAP) adj2 file\$1) and class\$3) or (smart adj card\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/14 13:58	✓
-	2	5999732.URPN.	USPAT	2003/01/14 13:59	✓
-	5	(((((constant adj pool) near3 (indic\$3 or index)) and (Java or (class\$3 near5 load\$4))) and (@ad<=19990202 or @rlfd<=19990202)) and (download\$4 near4 (software or program))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/14 14:04	✓
-	4	Baentsch.in. and (constant adj pool)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/14 16:18	✓
-	4	(Beantsch or Buhler or oestreicher).in. and (constant adj pool)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/15 08:40	✓
-	17	(smart adj card) and (constant adj pool)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/15 08:52	✓
-	5	((smart adj card) and (constant adj pool)) and (@ad<=19990202 or @rlfd<=19990202)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/15 08:51	✓

-	57	((US-4587612-\$ or US-5650948-\$ or US-5634118-\$ or US-5619666-\$ or US-5577233-\$ or US-5574927-\$ or US-5542059-\$ or US-5535329-\$ or US-5490256-\$ or US-5481684-\$ or US-5430862-\$ or US-5355460-\$ or US-5335344-\$ or US-5333296-\$ or US-5313614-\$ or US-5241636-\$ or US-5218711-\$ or US-5201056-\$ or US-5193180-\$ or US-5163139-\$ or US-5142681-\$ or US-5136696-\$ or US-5113522-\$ or US-5077657-\$ or US-4961141-\$ or US-4860191-\$).did. or (US-4783738-\$ or US-4763255-\$ or US-4631663-\$ or US-6131144-\$ or US-6026485-\$ or US-6021469-\$ or US-5999731-\$ or US-5983334-\$ or US-5953741-\$ or US-5937193-\$ or US-5923892-\$ or US-5903761-\$ or US-5898885-\$ or US-5898850-\$ or US-5889996-\$ or US-5875336-\$ or US-5838165-\$ or US-5809336-\$ or US-5794068-\$ or US-5784584-\$ or US-5781750-\$ or US-5778178-\$ or US-5774868-\$ or US-5768593-\$ or US-5764908-\$ or US-5761477-\$ or US-5692170-\$).did. or (US-5659703-\$ or US-6209077-\$ or US-6167488-\$ or US-6158048-\$).did.) and (@ad<=19990202 or @rlfd<=19990202)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/15 08:51 ✓
-	5	((US-4587612-\$ or US-5650948-\$ or US-5634118-\$ or US-5619666-\$ or US-5577233-\$ or US-5574927-\$ or US-5542059-\$ or US-5535329-\$ or US-5490256-\$ or US-5481684-\$ or US-5430862-\$ or US-5355460-\$ or US-5335344-\$ or US-5333296-\$ or US-5313614-\$ or US-5241636-\$ or US-5218711-\$ or US-5201056-\$ or US-5193180-\$ or US-5163139-\$ or US-5142681-\$ or US-5136696-\$ or US-5113522-\$ or US-5077657-\$ or US-4961141-\$ or US-4860191-\$).did. or (US-4783738-\$ or US-4763255-\$ or US-4631663-\$ or US-6131144-\$ or US-6026485-\$ or US-6021469-\$ or US-5999731-\$ or US-5983334-\$ or US-5953741-\$ or US-5937193-\$ or US-5923892-\$ or US-5903761-\$ or US-5898885-\$ or US-5898850-\$ or US-5889996-\$ or US-5875336-\$ or US-5838165-\$ or US-5809336-\$ or US-5794068-\$ or US-5784584-\$ or US-5781750-\$ or US-5778178-\$ or US-5774868-\$ or US-5768593-\$ or US-5764908-\$ or US-5761477-\$ or US-5692170-\$).did. or (US-5659703-\$ or US-6209077-\$ or US-6167488-\$ or US-6158048-\$).did.) and (@ad<=19990202 or @rlfd<=19990202)) and ((smart adj card) or (constant adj pool))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/15 08:52 ✓

-	29	(US-6366876-\$ or US-6363523-\$ or US-6308317-\$ or US-6282522-\$ or US-6236909-\$ or US-6005942-\$ or US-5844218-\$ or US-5757918-\$ or US-5742845-\$ or US-6092147-\$ or US-5740441-\$ or US-6081850-\$ or US-5822784-\$ or US-6279030-\$ or US-5996076-\$ or US-6260187-\$ or US-6081665-\$ or US-6332215-\$ or US-6311165-\$ or US-6253215-\$ or US-6061520-\$ or US-6026485-\$ or US-5999731-\$).did. or (US-20020059475-\$ or US-20020198837-\$).did. or (WO-9949392-\$).did. or (US-6272607-\$ or EP-964361-\$ or EP-964370-\$).did.	USPAT; US-PGPUB; EPO; DERWENT	2003/01/15 08:56	✓
-	5	((US-6366876-\$ or US-6363523-\$ or US-6308317-\$ or US-6282522-\$ or US-6236909-\$ or US-6005942-\$ or US-5844218-\$ or US-5757918-\$ or US-5742845-\$ or US-6092147-\$ or US-5740441-\$ or US-6081850-\$ or US-5822784-\$ or US-6279030-\$ or US-5996076-\$ or US-6260187-\$ or US-6081665-\$ or US-6332215-\$ or US-6311165-\$ or US-6253215-\$ or US-6061520-\$ or US-6026485-\$ or US-5999731-\$).did. or (US-20020059475-\$ or US-20020198837-\$).did. or (WO-9949392-\$).did. or (US-6272607-\$ or EP-964361-\$ or EP-964370-\$).did.) and ((smart adj card) and (constant adj pool))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/15 08:56	✓
-	3	((smart adj card) and (constant adj pool)) and (@ad<=19990202 or @rlfd<=19990202)) not ((Sun adj Microsystems).as.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/15 10:57	✓
-	29	(US-6366876-\$ or US-6363523-\$ or US-6308317-\$ or US-6282522-\$ or US-6236909-\$ or US-6005942-\$ or US-5844218-\$ or US-5757918-\$ or US-5742845-\$ or US-6092147-\$ or US-5740441-\$ or US-6081850-\$ or US-5822784-\$ or US-6279030-\$ or US-5996076-\$ or US-6260187-\$ or US-6081665-\$ or US-6332215-\$ or US-6311165-\$ or US-6253215-\$ or US-6061520-\$ or US-6026485-\$ or US-5999731-\$).did. or (US-20020059475-\$ or US-20020198837-\$).did. or (WO-9949392-\$).did. or (US-6272607-\$ or EP-964361-\$ or EP-964370-\$).did.	USPAT; US-PGPUB; EPO; DERWENT	2003/01/15 11:55	
-	3	((smart adj card) and (constant adj pool)) and (@ad<=19990202 or @rlfd<=19990202)) not ((Sun adj Microsystems).as.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/15 11:41	✓

-	3	((US-6366876-\$ or US-6363523-\$ or US-6308317-\$ or US-6282522-\$ or US-6236909-\$ or US-6005942-\$ or US-5844218-\$ or US-5757918-\$ or US-5742845-\$ or US-6092147-\$ or US-5740441-\$ or US-6081850-\$ or US-5822784-\$ or US-6279030-\$ or US-5996076-\$ or US-6260187-\$ or US-6081665-\$ or US-6332215-\$ or US-6311165-\$ or US-6253215-\$ or US-6061520-\$ or US-6026485-\$ or US-5999731-\$).did. or (US-20020059475-\$ or US-20020198837-\$).did. or (WO-9949392-\$).did. or (US-6272607-\$ or EP-964361-\$ or EP-964370-\$).did.) and (((smart adj card) and (constant adj pool)) and (@ad<=19990202 or @rlfd<=19990202)) not ((Sun adj Microsystems).as.))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/15 10:57	✓
-	2	((US-6366876-\$ or US-6363523-\$ or US-6308317-\$ or US-6282522-\$ or US-6236909-\$ or US-6005942-\$ or US-5844218-\$ or US-5757918-\$ or US-5742845-\$ or US-6092147-\$ or US-5740441-\$ or US-6081850-\$ or US-5822784-\$ or US-6279030-\$ or US-5996076-\$ or US-6260187-\$ or US-6081665-\$ or US-6332215-\$ or US-6311165-\$ or US-6253215-\$ or US-6061520-\$ or US-6026485-\$ or US-5999731-\$).did. or (US-20020059475-\$ or US-20020198837-\$).did. or (WO-9949392-\$).did. or (US-6272607-\$ or EP-964361-\$ or EP-964370-\$).did.) and ("16-bit" adj2 (instruction or architecture or bus or computer or platform or microprocess\$5 or integer\$1)) Schlumberger.as. and (JVM same card\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/15 11:37	✓
-	1	Schlumberger.as. and (integrated same card\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/15 11:10	✓
-	136	Schlumberger.as. and (integrated same card\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/15 11:10	
-	4	((US-6366876-\$ or US-6363523-\$ or US-6308317-\$ or US-6282522-\$ or US-6236909-\$ or US-6005942-\$ or US-5844218-\$ or US-5757918-\$ or US-5742845-\$ or US-6092147-\$ or US-5740441-\$ or US-6081850-\$ or US-5822784-\$ or US-6279030-\$ or US-5996076-\$ or US-6260187-\$ or US-6081665-\$ or US-6332215-\$ or US-6311165-\$ or US-6253215-\$ or US-6061520-\$ or US-6026485-\$ or US-5999731-\$).did. or (US-20020059475-\$ or US-20020198837-\$).did. or (WO-9949392-\$).did. or (US-6272607-\$ or EP-964361-\$ or EP-964370-\$).did.) and ("16-bit")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/15 11:13	✓
-	268	("16-bit" near5 (instruction\$1 or architecture or microcontroller\$1 or DSP or (portable adj3 device\$1))) and (download\$4 and (integrat\$4 or embedd\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/15 11:40	

-	72	((("16-bit" near5 (instruction\$1 or architecture or microcontroller\$1 or DSP or (portable adj3 device\$1))) and (download\$4 and (integrat\$4 or embedd\$4))) and ("16-bit" adj4 (microcontroller\$1 or DSP or (portable adj3 device\$1)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/15 11:41	
-	54	((("16-bit" near5 (instruction\$1 or architecture or microcontroller\$1 or DSP or (portable adj3 device\$1))) and (download\$4 and (integrat\$4 or embedd\$4))) and ("16-bit" adj4 (microcontroller\$1 or DSP or (portable adj3 device\$1)))) and ((@ad<=19990202 or @rlfd<=19990202) not ((Sun adj Microsystems).as.))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/15 11:46	✓
-	4	((("16-bit" near5 (instruction\$1 or architecture or microcontroller\$1 or DSP or (portable adj3 device\$1))) and (download\$4 and (integrat\$4 or embedd\$4))) and ("16-bit" adj4 (microcontroller\$1 or DSP or (portable adj3 device\$1)))) and ((@ad<=19990202 or @rlfd<=19990202) not ((Sun adj Microsystems).as.))) and ((byte adj code) or JVM or (applet\$1) or Java)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/15 11:44	✓
-	6	"16-bit" near3 ((smart or (integrated adj circuit) or ID or wallet\$1) adj2 card\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/15 11:56	✓
-	3	("16-bit" near3 ((smart or (integrated adj circuit) or ID or wallet\$1) adj2 card\$1)) and ((@ad<=19990202 or @rlfd<=19990202) not ((Sun adj Microsystems).as.))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/15 11:46	✓
-	10	5724279.URPN.	USPAT	2003/01/15 11:52	
-	2637	((in adj2 line\$1) near4 (data or operation\$1 or instruction\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/15 17:35	✓